

Grade 1 Mortise Lock

## EX9100 SERIES



### FEATURES

- Application**
- For use on single doors or active leaf of double doors, where both exit device and high security are required. Fits for 1 3/4" (44mm) standard up to 2 1/4" (57 mm) thick RHR or LHR hollow metal door, and wood doors.

### SPECIFICATIONS MORTISE LOCK PORTION

- Lockcase**
- Steel plated
  - 6 1/8" x 3 15/16" x 29/32" (154mm x 100mm x 23mm)

- Anti Friction Latchbolt**
- 3/4" (19mm) throw
  - Stainless steel
  - Full reversible without removing the lock from the door

- Auxiliary Deadlocking Bolt**
- Non handed, stainless steel

- Faceplate**
- 1.5mm thick stainless steel
  - Adjustable

- Strike**
- 2mm thick stainless steel
  - Universal curved lip

### SPECIFICATIONS DEVICE BODY PORTION

- Device Head Cover**
- Steel, stainless steel

- Chassis, Push Bar & End Cap**
- Stainless steel

- Mounting**
- Packed with standard machine screws
  - Not furnished sex bolts
  - Order "SNB" for wood or un-reinforced metal doors

- UL Listing**
- Fire Rated

- Dogging**
- Not available

- Finishes**
- Stainless Steel (304), (316)

- Warranty**
- Lifetime limited

Note: Fire rated labeled device is not permitted to be equipped with dogging.

# EX9100 SERIES

## OPTIONS

**KEYING** 6-pin cylinders, can be pinned to 5-pin.

**Cylinders** Arrow A (ARA), Corbin 59A1 (C059A1), Corbin 60 (C06), Corbin Russwin L4 (CL4), Options Kwikset (KW1), Russwin D1 (RD1), Sargent LA (SAL), Schlage E (SCE), Schlage F (SCF), Weiser E (WRE), Yale 8 (YA8), Yale GA (YGA)

**Tell Cylinder** Restricted Tell keyway cylinder can key both the cylinder and interchangeable core in one lock. The cylinders and IC cores are interchangeable. Tell keyway cylinder is available only keyed to 6-pin. Tell IC cylinder can be keyed to 6-pin or 7-pin interchangeable core (IC)

**IC Keyway Cylinders (Available 6- or 7-Pin)** Best A (BA), Best B (BB), Best C (BC), Best D (BD), Best E (BE), Best F (BF), Best G (BG), Best H (BH), Best J (BJ), Best K (BK), Best L (BL), Best M (BM), Best Q (BQ), Best U (BU), Black construction core (BLK), Less core (00), Not specified (XX)

**Keying Options** Grand Master Key (GMK), Construction Master Key (CMK), Master Key (MK), Keyed Different (KD), Keyed Alike (KA), Interchangeable Core uncombined (IC), 0-bitted (0BIT)

## TELL FINISHES



**US32D**  
Satin Stainless Steel